

TREXLER, BUSHNELL, GIANGIORGI, BLACKSTONE & MARR, LTD.

COUNSELORS AT LAW

THE CLARK ADAMS BUILDING

105 WEST ADAMS STREET, SUITE 3600

CHICAGO, ILLINOIS 60603-6299

(312) 704-1890

FOUNDED 1890

**PATENT, TRADEMARK, COPYRIGHT
AND RELATED MATTERS: ALL PHASES
INCLUDING LICENSING AND LITIGATION**

FAX: (312) 704-8023

www.trexlaw.com

RICHARD R. TREXLER (1906-1995)

RICHARD A. GIANGIORGI

RAIFORD A. BLACKSTONE, JR.

DAVID J. MARR

LINDA L. PALOMAR

JAMES R. FOLEY

JAMES A. O'MALLEY

TIMOTHY M. MCCARTHY

PAIGE A. KITZINGER

09/808567

August 10, 2005

Mail Stop: Corrections
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
AUG 17 2005
of Correction

Re: United States Patent No. 6,918,389 B2

Issued: July 19, 2005

For: "BREATHING ASSISTANCE APPARATUS"

Our Ref: Fisher & Paykel Case 92 (1171/39258)

Sir:

Enclosed herewith is a request for a Certificate of Correction with respect to two errors found in the above-identified patent.


It is respectfully requested that this Certificate of Correction request be accepted and placed in the file of the above-noted patent.

If you have questions, please contact the undersigned attorney.

Respectfully,

**TREXLER, BUSHNELL, GIANGIORGI
& BLACKSTONE, LTD.**

By



Raiford A. Blackstone, Jr.

Registration No. 25,156

RAB/mk/Enc.

846814

AUG 18 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,918,389 B2

DATED : July 19, 2005

INVENTOR(S) : Paul John Seakins, Malcom David Smith and
Mohammad Thudor.

It is certified that error appears in the above-identified patent and that said Letters Patent
is hereby corrected as shown below:

Column 3, Line 52 "is a block of" should be
--is a block diagram of --

Column 4, Line 33 " port S" should be -- port 5 --

Column 6, Line 55 " Snow rates." should be -- flow rates.--

Column 10, Line 12 "humidification" should be
-- a humidification --

Column 11, Line 33 " in claim 9" should be -- in claim 1--

Column 13, Line 40 " humidity chamber " should be --
-- humidification chamber --

Column 13, Line 42 " wherein further" should be -- further --

MAILING ADDRESS OF SENDER:

Trexler, Bushnell, Giangiorgi, Blackstone & Marr, Ltd.
105 West Adams Street 36th Floor
Chicago, Illinois 60603

PATENT NO. 6,918,389 B2

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

AUG 18 2005